



# CorePro Plastic LED Specialties



## CorePro LED Stick ND 9.5-75W T38 E27 840

The LED specialties can be easily intalled for certain application.

### Product data

General information	
Cap-Base	E27 [ E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000
Technical Type	9.5-75W
Flux measurement reference	Sphere
Tier	CorePro

Light technical	
Color Code	840 [ CCT of 4000K]
Beam Angle (Nom)	240 °
Luminous Flux (Nom)	1050 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	110.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz

Power (Nom)	9.5 W
Lamp Current (Nom)	84 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	85 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	Stick

Approval and application	
Energy Efficiency Class	E
Energy Consumption kWh/1000 h	10 kWh
EPREL Registration Number	415170


# CorePro Plastic LED Specialties

## Product data

Full product code	871869681453600
Order product name	CorePro LED Stick ND 9.5-75W T38 E27 840
EAN/UPC - Product	8718696814536
Order code	929001901502
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001901502
Net Weight (Piece)	0.042 kg


## Dimensional drawing




CorePro LED Stick ND 9.5-75W T38 E27 840

Product	D	C
CorePro LED Stick ND 9.5-75W T38 E27 840	37.2 mm	114.3 mm


## Photometric data



75W E27 Stick FR




75W E27 Stick FR 240D 840 4000K




68W E27 Stick FR 240D 830 3000K

# CorePro Plastic LED Specialties

## Lifetime



68W E27 Stick FR



68W E27 Stick FR

